

Prepared for
Rohit Kumar

ACCESSION NO : DUMMYQL00005
AGE : 43 yrs | SEX : Male

SRL MUMBAI - GOREGAON
SRL LIMITED PRIME SQUARE BUILDING, PLOT NO
1, GAIWADI INDUSTRIAL ESTATE, S.V.
ROAD, GOREGAON (W) MUMBAI, 400062
MAHARASHTRA, INDIA Tel : 1-800-222-000, Fax : 022
- 67801212 CIN - U74899PB1995PLC045956 Email :
connect@srl.in

Personal Health Report

Complete Care Total
with **Smart+ Report**

A comprehensive analysis of your
health using **Blood data**

06/08/2020
Date of test

07/08/2020
Report released on





CLIENT CODE :

CLIENT'S NAME AND ADDRESS :

SRL LIMITED
 P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR,
 SECTOR V, SALT LAKE,
 KOLKATA, 700102
 WEST BENGAL, INDIA
 Tel : 033-66573444/400 Home Collection: 033-44121212, Fax :
 30203412
 CIN - U74899PB1995PLC045956
 Email : customercare.saltlake@srl.in

PATIENT NAME : ROHIT KUMAR

PATIENT ID : DUMMY 1112780

ACCESSION NO : DUMMY H002892 AGE : 41 Years SEX : Male

DATE OF BIRTH : 11/12/1978

DRAWN : 05/08/2020 08:58

RECEIVED : 06/08/2020 12:17

REPORTED : 06/08/2020 16:23

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

MAGNESIUM, SERUM-Moderate or severe magnesium deficiency is usually due to losses of magnesium from gastrointestinal tract or kidneys as in vomiting and diarrhoea in former and alcohol, diabetes mellitus (osmotic diuresis), loop diuretics (furosemide) and aminoglycoside antibiotics in latter.

Symptomatic hypermagnesemia is almost always caused by excessive intake with concomitant renal failure, thereby decreasing the ability of the kidneys to excrete excess magnesium.

Magnesium concentration in erythrocytes are approximately three times those of serum. Conversion factors for the units used to express magnesium concentration are:

mg/dl = meq/l x 1.22 = mmol/l x 2.43

End Of Report

Please visit www.srlworld.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).
3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
4. A requested test might not be performed if:
 - a. Specimen received is insufficient or inappropriate specimen quality is unsatisfactory
 - b. Incorrect specimen type
 - c. Request for testing is withdrawn by the ordering doctor or patient
 - d. There is a discrepancy between the label on the specimen container and the name on the test requisition form
5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology.
6. Result delays could be because of uncontrolled circumstances. e.g. assay run failure.
7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).
8. Laboratory results should be correlated with clinical information to determine Final diagnosis.
9. Test results are not valid for Medico- legal purposes.
10. In case of queries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII,
 Mohali 160062